

From: Richard Fetzer/R3/USEPA/US
Sent: 1/9/2012 6:28:33 PM
To: Dennis Carney/R3/USEPA/US@EPA
CC:
Subject: Re: Dimock Site

Thanks for the confirmation. :)

 Richard M. Fetzer
 Federal On-Scene Coordinator
 100 Gypsum Road
 Stroudsburg, PA. 18360
 (570) 402 7108

----- Original Message -----

From: Dennis Carney
Sent: 01/09/2012 05:42 PM EST
To: Richard Fetzer
Cc: "Jerry Heston" <heston.gerald@epa.gov>; "Jackie Williams" <williams.jacqueline@epa.gov>; Mikal Shabazz
Subject: Re: Dimock Site

Yes obviously we should pay for their time as our consultant. Don't need an AM or SB for that

----- Original Message -----

From: Richard Fetzer
Sent: 01/09/2012 04:48 PM EST
To: "Dennis Carney" <carney.dennis@epa.gov>
Cc: "Jerry Heston" <heston.gerald@epa.gov>; Jacquelin Williams; Mikal Shabazz
Subject: Fw: Dimock Site

Den, I wanted your thoughts on this before it goes further. I have been in discussions with Kemron, using my warrant, to ensure the EPA could deliver the water in the same timeframe we were going to require from Cabot.

There would be hours for the RM and FCA in subcontracting logistical efforts only. No on-site work.

Rich.

 Richard M. Fetzer
 Federal On-Scene Coordinator
 100 Gypsum Road
 Stroudsburg, PA. 18360
 (570) 402 7108

----- Original Message -----

From: Jacquelin Williams
Sent: 01/09/2012 04:38 PM EST
To: Mikal Shabazz
Cc: Richard Fetzer
Subject: Dimock Site

Hi Mikal,

I spoke with Fetzer and he activated Kemron on 1/6/12 at Noon.

Site name and address:

Dimock Residential Groundwater Site

Intersection of PA Routes 29 at 2024
Dimock, Susquehanna, PA 18847

Site id # - **A3TA**:

ERRS - \$50k

SOW - RM and FCA to begin to make plans to provide water for household use.

On Scene date - Contact OSC via phone upon receipt of TO.

No DBA

Funding Doc - Spec Bulletin is in HQ and not sign yet.

Thanks,
Jac.

Jackie Williams
Removal Budget Coordinator &
Deputy Project Officer - ERRS/START Contracts
US EPA - Region III
Preparedness and Support Branch (3HS33)
1650 Arch Street
Philadelphia, PA 19103
215-814-3248
215-814-3254 (fax)
williams.jacqueline@epa.gov